

# **STRATA**

**222/30**

---

**Weavers**  
**World**



Photographic fabric scans are not colour accurate. Always request actual fabric samples before ordering.

## SPECIFICATIONS

|              |                                  |
|--------------|----------------------------------|
| Application  | Contract & Soft Furnishing       |
| Composition: | 79% Polyester, 21% Acrylic       |
| Width        | 140cm                            |
| Mass         | 440 to 485gm/1m                  |
| Complies To  | SABS 1324 Contract Specification |

---

|                      |      | STANDARD    | STRATA       |
|----------------------|------|-------------|--------------|
| Abrasion Resistance: |      | 25 000 Rubs | +25 000 Rubs |
| Colour Fastness:     |      |             |              |
| To Light             |      | 6           | 6            |
| To Rubbing           |      | 4           | 4            |
| To Dry Cleaning      |      | 4           | 4-5          |
| To Perspiration      |      | 4           | 4-5          |
| Pilling              |      | 4           | 4-5          |
| Seam Slippage:       | Warp | 180N        | 180N         |
|                      | Weft | 180N        | 180N         |
| Tensile Strength:    | Warp | 400N        | 500N         |
|                      | Weft | 400N        | 500N         |

**NOTE: Refer to SABS 726 - This specification calls for a minimum seam of 15mm and 4-5 stitches per cm.**