

# **VINTAGE**

## **AUSTIN**

---

# **Weavers**

## **World**



Photographic fabric scans are not colour accurate. Always request actual fabric samples before ordering.

## SPECIFICATIONS

<b>Application</b>	<b>Upholstery</b>
<b>Composition</b>	<b>64% Polyester 36% Cotton</b>
<b>Width</b>	<b>140cm</b>
<b>Mass</b>	<b>780gm/1m</b>
<b>Pattern Repeat</b>	<b>Plain</b>
<b>Complies To</b>	<b>SABS 1324 Office Partitions Specification</b>

		<b>STANDARD</b>	<b>VINTAGE</b>
<b>Colour Fastness:</b>		<b>25 000 Rubs</b>	<b>+40 000 Rubs</b>
<b>To Light</b>		<b>6</b>	<b>4-5</b>
<b>To Rubbing</b>		<b>4</b>	<b>4-5</b>
<b>To Pilling</b>		<b>4</b>	<b>5</b>
<b>Seam Slippage:</b>	<b>Warp</b>	<b>180N</b>	<b>+5,20N</b>
	<b>Weft</b>	<b>180N</b>	<b>+4,70N</b>
<b>Tensile Strength:</b>	<b>Warp</b>	<b>400N</b>	<b>+2140N</b>
	<b>Weft</b>	<b>400N</b>	<b>+710N</b>
<b>Cleaning Instructions:</b>		<b>Professional Cleaning</b>	

**NOTE: Refer to SABS 726 - This specification calls for a minimum seam of 15mm and 4-5 stitches per cm.**